


## Thank you for purchasing the MODWAY LOVESEAT/SOFA!

Before you start, here are some helpful advice:


- 1. We suggest you spend a short time reading through this leaflet and then follow the simple step-by-step instructions.
- 2. Owing to the size and weight of the sofa, we recommend that it is assembled by two adults, on a carpeted or padded area, in the room that it is intended for. Approximate assembly time: 30 minutes.
- 3. Please do not use any tools other than those provided or recommended in these instructions.
- 4. Please do not throw away any of the packaging or the instruction until you have checked all the components and hardware and the furniture is fully assembled. Please ensure that the packaging is disposed of in a safe and environmentally friendly way.
- 5. Assemble all components loosely until advised to tighten. Depending on use, it may be necessary to tighten the components from time to time, so please save the tools that have been provided.
- 6. Please keep all pieces out of reach of children.





# STEP 1:

- 1. Put Sofa Seat (1) upside down on a carpeted or padded surface.
- 2. Open the Zipper on the bottom of **Sofa Seat (1)** as shown.
- 3. Please find Sofa Legs (4), Support Leg (5), Back Cushions (7), Pillows (8) and Hardware package from inside of Sofa Seat (1).




 $4 \times Sofa Legs (4) + 1 \times Support Leg (5) + 2 \times Back Cushion (7)$ 

+ 2 x Pillows (8) + Hardware Package

#### STEP 2:


- 1. Please carefully turn over **Sofa Seat (1)**.
- 2. Insert Left Arm (2) and Right Arm (3) to Sofa Seat (1) by using the pre-installed Clips on Sofa Seat (1), Left Arm (2) and Right Arm (3) to lock each other as shown.






## STEP 3:

- 1. Put the assembled **Sofa Seat (1)**, **Left Arm (2)** and **Right Arm (3)** backside down on a carpeted or padded surface.
- 2. Insert 2 pieces of Long Bolts (B) with 2 pieces of Flat Washers (D) into the pre-drilled holes on Left Arm (2) / Right Arm (3) through the pre-drilled holes on inner side of the bottom of Sofa Seat (1) as shown.
- 3. Use Allen Wrench (E) to tighten Long Bolts (B) clockwise until secure.



#### STEP 4:


- 1. Please carefully close the Zipper on the bottom of **Sofa Seat (1)**.
- 2. Put the assembled **Sofa Seat (1)**, **Left Arm (2)**, **and Right Arm (3)** upside down on a carpeted or padded surface.
- 3. Place 1 piece of Sofa Leg (4) into the bottom of Sofa Seat (1) as shown.
- 4. Insert 2 pieces of **Short Bolts (A)** with 2 pieces of **Flat Washers (C)** into the pre-drilled holes on the bottom of **Sofa Seat (1)** through the pre-drilled holes on the metal plate of **Sofa Leg (4)** as shown.
- 5. Use Allen Wrench (E) to tighten Short Bolts (A) clockwise until secure.
- 6. Repeat the same steps for the remaining 3 pieces of **Sofa Legs (4).**
- 7. Tighten Support Leg (5) into the middle of the bottom of Sofa Seat (4) until secure by hand.






# STEP 5

- 1. Place Sofa Back (6) to the assembled Sofa Seat (1), Left Arm (2) and Right Arm (3) as shown.
- 2. Insert Sofa Back (6) to Left Arm (2) and Right Arm (3) by using the pre-installed Clips on Left Arm (2), Right Arm (3) and Sofa Back (6) to lock each other as shown.
- 3. Carefully cover the fabric on the back of **Sofa Back (6)** by using pre-installed Velcro.



### STEP 6

Carefully put 2 pieces of **Back Cushions (7)** and 2 pieces of **Pillows (8)** to the assembled **Sofa Seat (1)**, **Left Arm (2)**, **Right Arm (3)** and **Sofa Back (6)** as shown.



Assembly is complete. Your sofa is ready to enjoy now