


Thank you for purchasing the MODWAY TABLE!

Before you start, here is some helpful advice:

- 1. We suggest you spend a short time reading through this leaflet and then follow the simple step-by-step instructions.
- 2. Owing to the size and weight of the table, we recommend that it is assembled by two adults, on a carpeted or padded area, in the room that it is intended for. Approximate assembly time: 30 minutes.
- 3. Please do not use any tools other than those provided or recommended in these instructions.
- 4. Please do not throw away any of the packaging or the instruction until you have checked all the components and hardware and the furniture is fully assembled. Please ensure that the packaging is disposed of in a safe and environmentally friendly way.
- 5. Assemble all components loosely until advised to tighten. Depending on use, it may be necessary to tighten the components from time to time, so please save the tools that have been provided.
- 6. Please keep all fitting out of reach of children.




3

Table Post

x1

4

х1



Connect Plate

х1

1

Table Top

2

x1

Table Base




STEP 1:

Please put Post (3) and Table Base (4) upside down on a carpeted or padded area.

Position Table Base (4) to the bottom of Post (3) as shown.

Insert 1 piece of Bolt (A) with 1 piece of Spring Washer (B) and 1 piece of Washer (C) into the hole on bottom of

Post (3) through the hole on Table Base (4).



Hardware & Tool required


STEP 2:

Carefully turn over the assembled Post (3) and Table Base (4).

Position Connect Plate (2) to Post (3) as shown.

Insert 3 pieces of **Bolt (E)** with 3 pieces of **Spring Washer (F)** and 3 pieces of **Flat Washer (G)** into the holes on **Post** (3) through the holes on **Connect Plate (2)**.

Use Allen Wrench (H) to tighten all Bolts (E) clockwise until secure.



9		0	
Ex3	Fx3	Gx3	Hx1

Hardware & Tool required




STEP 3

Please put the **Table Top (1)** and the assembled **Connect Plate (2)**, **Post (3)**, and **Table Base (4)** upside down on a carpeted or padded area.

Position the assembled Connect Plate (2) to the bottom of Table Top (1) as shown.

Insert 4 pieces of **Bolt (J)** with 4 pieces of **Spring Washer (K)** and 4 pieces of **Flat Washer (L)** into the holes on bottom of **Table Top (1)** through the holes on **Connect Plate (2)**.

Use Allen Wrench (M) to tighten Bolt (J) clockwise until secure.



STEP 4:

Carefully turn over the assembled table.



Assembly is complete. Your table is ready to be used now!