


# EEI-3046 Sofa






Thank you for purchasing the **MODWAY SOFA**.

Before you start, here are some helpful advice:


1. We suggest you spend a short time reading through this leaflet and then follow the simple step-by-step instructions.
2. Owing to the size and weight of the sofa, we recommend that it is assembled by two adults, on a carpeted or padded area, in the room that it is intended for. Approximate assembly time: 30 minutes.
3. Please do not use any tools other than those provided or recommended in these instructions.
4. Please do not throw away any of the packaging or the instruction until you have checked all the components and hardware and the furniture is fully assembled. Please ensure that the packaging is disposed of in a safe and environmentally friendly way.
5. Assemble all components loosely until advised to tighten. Depending on use, it may be necessary to tighten the components from time to time, so please save the tools that have been provided.
6. Please keep all fitting out of reach of children.



## Hardware:

- |    |  |                |      |
|----|--|----------------|------|
| A. |    | Bolt M8x60mm   | x 20 |
| B. |   | Flat Washer M8 | x 20 |
| C. |  | Allen Wrench   | x1   |

## Component:



- |                          |                      |                       |                 |
|--------------------------|----------------------|-----------------------|-----------------|
| 1 Back Cushion x2        | 2 Left Back Frame x1 | 3 Right Back Frame x1 | 4 Left Arm x1   |
| 5 Right Arm x1           | 6 Seat Frame x1      | 7 Seat Cushion x2     | 8 Tilted Leg x4 |
| 9 Straight Center Leg x1 |                      |                       |                 |

## STEP 1:


Please take the compressed **Seat Cushions (7)**, **Back Cushions (1)**, all Legs and hardware bag from the bottom of **Seat Frame (6)**.

Carefully remove plastic packaging of the compressed **Seat Cushions (7)** and **Back Cushions (1)**.

Being carefully not to cut through to them.

Place compressed **Seat Cushions (7)** and **Back Cushions (1)** on a flat surface in a well ventilated room and allow 48 hours for expansion.

Due to the unique properties of the compressed **Seat Cushions (7)** and **Back Cushions (1)**, dimensions after expansion will vary slightly; this is normal and will not affect the performance of your sofa.




## STEP 2:

Please put **Seat Frame (6)** on a carpeted or padded surface.

Attach 1 piece of **Tilted Legs (8)** to the one corner of **Seat Frame (6)** by using 2 pieces of **Bolts (A)** with 2 pieces of **Flat Washers (B)** as shown. Repeat the same steps for the other 3 pieces of **Leg (8)**.


Tighten **Bolts (A)** by using **Allen Wrench (C)** fully as shown.



Hardware & Tools required

## STEP 3:



Insert **Straight Leg (9)** to the middle of bottom of **Seat Frame (6)** and fully tighten by hand in the direction of the arrow.



## STEP 4:

Attach **Left Arm (4)** to the left side of **Seat Frame (6)** by using 4 pieces of **Bolts (A)** with 4 pieces of **Flat Washers (B)** as shown.


Tighten **Bolts (A)** by using **Allen Wrench (C)** fully as shown.



## STEP 5:

Attach **Right Arm (5)** to the right side of **Seat Frame (6)** by using 4 pieces of **Bolts (A)** with 4 pieces of **Flat Washers (B)** as shown.


Tighten **Bolts (A)** by using **Allen Wrench (C)** fully as shown.



Hardware & Tools required


## STEP 6:

Slide the left clip of **Left Back Frame (2)** to the clips of the inner side of **Left Arm (4)** by hand in the direction of the arrow as shown.



## STEP 7:

Slide the two clips of **Right Back Frame (3)** synchronously to the clip of the inner side of the **Right Arm (5)** and the clip of the left side of the **Left Back Frame (2)** by two hands in the direction of the arrow as shown.




## STEP 8:

Carefully turn over the assembled unit from step 7 as shown.

Insert 4 pieces of **Bolts (A)** with 4 pieces of **Flat Washers (B)** into the pre-drilled holes on the back of the bottom of **Seat Frame (6)**.

Use **Allen Wrench (C)** to tighten **Bolts (A)** clockwise until secure.




Hardware & Tools required

### STEP 9:

Carefully turn over the assembled unit from step 8 as shown.

Put **Back Cushion (1)** and **Seat Cushion (7)** to the assembled sofa as shown.

Assembly is complete. Your Sofa is ready to be used now!



## SOFA USER GUIDELINE

---

This product makes a long journey to reach you and the cushion is compressed, please reshape the cushion to restore to its original beauty before using, steps as follows:



1. Carefully remove the plastic packing and put the cushion on a flat surface in a well ventilated room and allow 48 hours for expansion.



2. Press the back cushions with both hands from side edge.



3. Press the back cushions with both hands from front side.



4. Restoring action is complete, you can put it to the assembled sofa now.